Brain Research, 538 (1991) 358–360
Elsevier

Author Index

Anderson, R.W., see Eherenreich, H., 54
Angelucci, L., see Imperato, A., 111

Ball, G.F., see Wieraszko, A., 102
Basse-Tomusk, A. and Rebec, G.V., Regional distribution of ascorbate and 3,4-dihydroxyphenylacetic acid (DOPAC) in rat striatum, 29
Bennett, Jr., J.P., see Robertson, M.W., 337
Besser, G.M., see Faria, M., 76
Bitran, J.A., see Masana, M.I., 333
Bongianni, F., see Christenson, J., 313
Bourne, R.C., see Kossut, M., 165
Brenneman, D.E., see Markwell, M.A.K., 1
Bressers, W.M.A., see Van Erp, A.M.M., 203
Bruce, E.N., Mitra, J., Cherniack, N.S. and Romaniuk, J.R., Alteration of phrenic high frequency oscillation by local cooling of the ventral medullary surface, 211
Buchan, A.M.J., Neurofilament M and calbindin D28K are present mutually exclusive subpopulations of enteric neurons in the rat submucous plexus, 171
Buchsbaum, M.S., see Gottschalk, L.A., 107
Bures, J., see Vinogradova, L.V., 161
Burton, H. and Sinclair, R.J., Second somatosensory cortical area in macaque monkeys: 2. Neuronal responses to punctate vibrotactile stimulation of glabrous skin on the hand, 127
Burton, H., see Fabri, M., 351

Casolini, P., see Imperato, A., 111
Cattabeni, F., see Di Luca, M., 95
Chappell, H., see Walker, M.J.K., 181
Cherniack, N.S., see Bruce, E.N., 211
Christenson, J., Bongianni, F., Grillner, S. and Hökfelt, T., Putative GABAergic input to axons of spinal interneurons and primary sensory neurons in the lamprey spinal cord as shown by intracellular Lucifer yellow and GABA immunohistochemistry, 313
Chu, D.C.M., see Maragos, W.F., 36
Cimino, M., see Di Luca, M., 95
Clark, F.M. and Proudfit, H.K., The projection of locus coeruleus neurons to the spinal cord in the rat determined by anterograde tracing combined with immunocytochemistry, 231
Coligan, J.E., see Eherenreich, H., 54
Conde, M.V., see Moreno, M.J., 324
Crowe, M.J. and Pixley, S.K., Monoclonal antibody to carnosine synthetase indentifies a subpopulation of frog olfactory receptor neurons, 147

Danzebrink, R.M. and Gebhart, G.F., Evidence that spinal 5-HT_1, 5-HT_2 and 5-HT_3 receptor subtypes modulate responses to noxious colorectal distension in the rat, 64
De Graan, P.N.E., see Di Luca, M., 95
Denoroy, L., see Morin, A., 136
De Vries, J.B., see Santiago, M., 226
Di Luca, M., Cimino, M., De Graan, P.N.E., Oestreicher, A.B., Gispen, W.H. and Cattabeni, F., Microencephaly reduces the phosphorylation of the PKC substrate B-50/GAP43 in rat cortex and hippocampus, 95
Diemer, N.H., see Jørgensen, M.B., 246
Dluzen, D.E. and Ramirez, V.D., Modulatory effects of progesterone upon dopamine release from the corpus striatum of ovariectomized estrogen-treated rats are stereo-specific, 176
Drumheller, A., see Jolicoeur, F.B., 187

Eherenreich, H., Kehrl, J.H., Anderson, R.W., Rieckmann, P., Vitkovic, L., Coligan, J.E. and Fauci, A.S., A vasoactive peptide, endothelin-3, is produced by and specifically binds to primary astrocytes, 54

Fabri, M. and Burton, H., Topography of connections between primary somatosensory cortex and posterior complex in rat: a multiple fluorescent tracer study, 351
Faria, M., Navarra, P., Tsagarakis, S., Besser, G.M. and Grossman, A.B., Inhibition of CRH-41 release by substance P, but not substance K, from the rat hypothalamus in vitro, 76
Fauci, A.S, see Eherenreich, H., 54
Fernández-Lomana, H., see Moreno, M.J., 324
Fields, H.L., see Floeter, M.K., 340
Floeter, M.K. and Fields, H.L., Evidence that inhibition of a nociceptive flexion reflex by stimulation in the rostroventromedial medulla in rats occurs at a premotoneuronal level, 340
Fox, S.E., see Stewart, M., 59
Frotscher, M., see Heimrich, B., 263

Gabbott, P.L.A., see Kossut, M., 165
Gage, F.H., see Yoshida, K., 118
Gebhart, G.F., see Danzebrink, R.M., 64
Gillin, J.C., see Gottschalk, L.A., 107
Gispen, W.H., see Di Luca, M., 95
Gottschalk, L.A., Buchsbaum, M.S., Gillin, J.C., Wu, J.C., Reynolds, C.A. and Herrera, D.B., Anxiety levels in dreams: relation to localized cerebral glucose metabolic rate,107
Greenamyre, J.T., see Maragos, W.F., 36
Greenwood, R.S., Meeker, R.B. and Hayward, J.N., Amygdala kindling elevates plasma vasopressin, 9
Griffiths, I.R., see Thomson, C.E., 157
Grillner, S., see Christenson, J., 313
Grossman, A.B., see Faria, M., 76

Hadjiconstantinou, M., Qu, Z.-X and Neff, N.H., Differential changes of retina dopamine binding sites and adenylyl cyclase responses following 6-hydroxydopamine treatment, 193
Hannon, P.R., see McMillan, J.A., 152
Hattori, Y., Katafuchi, T. and Koizumi, K., Characterization of opioid-sensitive neurons in the anteroventral third ventricle region of polydipsic inbred mice in vitro, 283
Hayward, J.N., see Greenwood, R.S., 9
Head, R.J., see Zettler, C., 251
Heimrich, B. and Frotscher, M., Differentiation of dentate granule cells in slice cultures of rat hippocampus: a Golgi/electron microscopic study, 263
Henriksen, S.J., see Steffensen, S.C., 46
Herrera, D.B., see Gottschalk, L.A., 107
Hsia, J.K., see Masana, M.I., 333
Hökfelt, T., see Christenson, J., 313
Hönack, D., Wahnschaffe, U. and Löscher, W., Kindling from stimulation of a highly sensitive locus in the posterior part of the piriform cortex. Comparison with amygdala kindling and effects of antiepileptic drugs, 196

Imperato, A., Puglisi-Allegra, S., Casolini, P. and Angelucci, L., Changes in brain dopamine and acetylcholine release during and following stress are independent of the pituitary-adrenocortical axis, 111

Jensen, C.V., see Jørgensen, M.B., 246
Jiang, C., Mitchell, G.S. and Lipski, J., Prolonged augmentation of respiratory discharge in hypoglossal motoneurons following superior laryngeal nerve stimulation, 215
Jolicoeur, F.B., Rivest, R., St.-Pierre, S. and Drumheller, A., Antiparkinson-like effects of neurotensin in 6-hydroxydopamine lesioned rats, 187
Jouvet, M., see Morin, A., 136
Jørgensen, M.B., Jensen, C.V. and Diemer, N.H., Modification of [^{3}H]inositoltrisphosphate binding in kainic acid-lesioned and postischemic rat hippocampus, 246

Katafuchi, T., see Hattori, Y., 283
Kawahara, K. and Suzuki, M., Descending inhibitory pathway responsible for simultaneous suppression of postural tone and respiration in decerebrate cats, 303
Kehrl, J.H., see Eherenreich, H., 54
Kim, H.G. and Miller, R.F., Rods and cones activate different excitatory amino acid receptors on the mudpuppy retinal horizontal cell, 141
Kiyota, Y., Miyamoto, M. and Nagaoka, A., Relationship between brain damage and memory impairment in rats exposed to transient forebrain ischemia, 295
Kobayashi, T., see Michikawa, M., 79

Koizumi, K., see Hattori, Y., 283
Koroleva, V.I., see Vinogradova, L.V., 161
Kossut, M., Stewart, M.G., Siucinska, E., Bourne, R.C.and Gabbott, P.L.A., Loss of γ-aminobutyric acid (GABA) immunoreactivity from mouse first somatosensory (SI) cortex following neonatal, but not adult denervation, 165
Kotak, V.C. and Page, C.H., GABA mediated inhibition of abdominal postural flexion in lobster, 276
Kotak, V.C. and Page, C.H., Sensory inhibition of flexion producing interneurons in lobster abdomen, 269
Kruk, M.R., see Van Erp, A.M.M., 203

Larson, J. and Lynch, G., A test of the spine resistance hypothesis for LTP expression, 347
Leslie, C.A., see Robertson, M.W., 337
Lipski, J., see Jiang, C., 215
Lloyd, K.G., see Valin, A., 15
Lynch, G., see Larson, J., 347
Lê, A.D., see Walker, M.J.K., 181
López de Pablo, A.L., see Moreno, M.J., 324
Löscher, W., see Hönack, D., 196
de la Luz Fraile, M., see Moreno, M.J., 324

MacIver, M.B., see Mody, I., 319
Maragos, W.F., Greenamyre, J.T., Chu, D.C.M., Penney, J.B. and Young, A.B., A study of cortical and hippocampal NMDA and PCP receptors following selective cortical and subcortical lesions, 36
Marco, E.J., see Moreno, M.J., 324
Markwell, M.A.K., Sheng, H.Z., Brenneman, D.E. and Paul, S.M., A rapid method to quantify neurons in mixed cultures based on the specific binding of [^{3}H]ouabain to neuronal Na^+, K^+-ATPase, 1
Martin-Iverson, M.T., see Yamada, N., 310
Masana, M.I., Bitran, J.A., Hsia, J.K., Mefford, I.N. and Potter, W.Z., Lithium effects on noradrenergic-linked adenylate cyclase activity in intact rat brain: an in vivo microdialysis study, 333
McMillian, J.A., Hannon, P.R., Stevenson, L.M. and Van Natta, T.L., Effects of body position on crossed extension reflex in decerebrate cat: rectus femoris is more sensitive than is vastus medialis, 152
Meeker, R.B., see Greenwood, R.S., 9
Mefford, I.N., see Masana, M.I., 333
Michikawa, M., Kobayashi, T. and Tsukagoshi, H., Early events of chemical transmission of newly formed neuromuscular junctions in monolayer of human muscle cells co-cultured with fetal rat spinal cord explants, 79
Miller, R.F., see Kim, H.G., 141
Mitchell, E.A. and Pratt, J.A., Neuroanatomical structures involved in the action of the 5-HT3 antagonist ondansetron: a 2-deoxyglucose autoradiographic study in the rat, 289
Mitchell, G.S., see Jiang, C., 215
Mitchell, L.S., see Thomson, C.E., 157
Mitra, J., see Bruce, E.N., 211
Miyamoto, M., see Kiyota, Y., 295
Mody, I., Tanelian, D.L. and MacIver, M.B., Halothane enhances tonic neuronal inhibition by elevating intracellular calcium, 319
Moffett, J.R., Williamson, L.C., Neale, J.H., Palkovits, M. and Namboodiri, M.A.A., Effect of optic nerve transection of N-acetylaspartylglutamate immunoreactivity in the primary and accessory optic projection systems in the rat, 86
Moreno, M.J., Conde, M.V., de la Luz Fraile, M., Fernández-Lomana, H., López de Pablo, A.L. and Marco, E.J., Lesion of the dorsal raphe nucleus induces supersensitivity to serotonin in isolated cat middle cerebral artery, 324
Morin, A., Denoroy, L. and Jouvet, M., Daily variations in concentration of vasoactive intestinal polypeptide immunoreactivity in discrete brain areas of the rat, 136
Morrison, S., see Thomson, C.E., 157
Murphy, D.L., see Newman, J.D., 24

Nagaoka, A., see Kiyota, Y., 295
Namboodiri, M.A.A., see Moffett, J.R., 86
Naquet, R., see Valin, A., 15
Navarra, P., see Faria, M., 76
Neale, J.H., see Moffett, J.R., 86
Neff, N.H., see Hadjiconstantinou, M., 193
Newman, J.D., Winslow, J.T. and Murphy, D.L., Modulation of vocal and nonvocal behavior in adult squirrel monkeys by selective MAO-A and MAO-B inhibition, 24

Oestreicher, A.B., see Di Luca, M., 95

Page, C.H., see Kotak, V.C., 269
Page, C.H., see Kotak, V.C. 276
Palkovits, M., see Moffett, J.R., 86
Patrick, R.L., see Patrick, S.L., 343
Patrick, S.L., Thompson, T.L., Walker, J.M. and Patrick, R.L., Concomitant sensitization of amphetamine-induced behavioral stimulation and in vivo dopamine release from rat caudate nucleus, 343
Paul, S.M., see Markwell, M.A.K., 1
Penney, J.B., see Maragos, W.F., 36
Pixley, S.K., see Crowe, M.J., 147
Potter, W.Z., see Masana, M.I., 333
Poulos, C.X., see Walker, M.J.K., 181
Pratt, J.A., see Mitchell, E.A., 289
Proudfit, H.K., see Clark, F.M., 231
Puglisi-Allegra, S., see Imperato, A., 111

Qu, Z.-X., see Hadjiconstaninou, M., 193

Ramirez, V.D., see Dluzen, D.E., 176
Rebec, G.V., see Basse-Tomusk, A., 29
Reynolds, C.A., see Gottschalk, L.A., 107
Rieckmann, P., see Eherenreich, H., 54
Rivest, R., see Jolicoeur, F.B., 187
Robertson, M.W., Leslie, C.A. and Bennett, Jr., J.P., Apparent synaptic dopamine deficiency induced by withdrawal from chronic cocaine treatment, 337
Roeling, T.A.P., see Van Erp, A.M.M., 203
Rollema, H., see Santiago, M., 226
Romaniuk, J.R., see Bruce, E.N., 211
Rush, R.A., see Zettler, C., 251
Santiago, M., Rollema, H., De Vries, J.B. and Westerink, B.H.C., Acute effects of intranigral application of MPP^+ on nigral and bilateral striatal release of dopamine simultaneously recorded by microdialysis, 226
Sheng, H.Z., see Markwell, M.A.K., 1
Sinclair, R.J., see Burton, H., 127
Siucinska, E., see Kossut, M., 165
Spruyt, B.M., see Van Erp, A.M.M., 203
St.-Pierre, S., see Jolicoeur, F.B., 187
Steffensen, S.C. and Henriksen, S.J., Effects of baclofen and bicuculline on inhibition in the fascia dentata and hippocampus regio superior, 46
Stevenson, L.M., see McMillan, J.A., 152
Stewart, M. and Fox, S.E., Hippocampal theta activity in monkeys, 59
Stewart, M.G., see Kossut, M., 165
Suzuki, M., see Kawahara, K., 303

Tanelian, D.L., see Mody, I., 319
Thompson, T.L., see Patrick, S.L., 343
Thomson, C.E., Mitchell, L.S., Griffiths, I.R. and Morrison, S., Retarded Wallerian degeneration following peripheral nerve transection in C57BL/6/Ola mice associated with delayed down-regulation of the PO gene, 157
Tsagarakis, S., see Faria, M., 76
Tsukagoshi, H., see Michikawa, M., 79

Valin, A., Voltz, C., Naquet, R. and Lloyd, K.G., Effects of pharmacological manipulation on neurotransmitter and other amino acid levels in the CSF of the Senegalese baboon Papio papio, 15
Van Erp, A.M.M., Kruk, M.R., Willekens-Bramer, D.C., Bressers, W.M.A., Roeling, T.A.P., Veening, J.G. and Spruyt, B.M., Grooming induced by intrahypothalamic injection of ACTH in the rat: comparison with grooming induced by intrahypothalamic electrical stimulation and i.c.v. injection of ACTH, 203
Van Natta, T.L., see McMillian, J.A., 152
Vaněček, J., Melatonin inhibitory effect on luteinizing hormone release is potentiated after long pretreatment with the indole, 329
Veening, J.G., see Van Erp, A.M.M., 203
Vinogradova, L.V., Koroleva, V.I. and Bures, J., Re-entry waves of Leao's spreading depression between neocortex and caudate nucleus, 161
Vitkovic, L., see Eherenreich, H., 54
Voltz, C., see Valin, A., 15

Wahnschaffe, U., see Hönack, D., 196
Walker, J.M., see Patrick, S.L., 343
Walker, M.J.K., Lê, A.D., Poulos, C.X. and Chappell, H., Chronic selective blockade of μ opioid receptors produces analgesia and augmentation of the effects of a K agonist, 181
Westerink, B.H.C., see Santiago, M., 226
Wieraszko, A. and Ball, G.F., Long-term enhancement of synaptic responses in the songbird hippocampus, 102
Willekens-Bramer, S.C., see Van Erp, A.M.M., 203
Williamson, L.C., see Moffett, J.R., 86

Williamson, L.C., see Moffett, J.R., 86
Winslow, J.T., see Newman, J.D., 24
Wu, J.C., see Gottschalk, L.A., 107

Yamada, N. and Martin-Iverson, M.T., Selective dopamine D_1 and D_2 agonists independently affect different components of the free-running circadian rhythm of locomotor activity in rats, 310
Yoshida, K. and Gage, F.H., Fibroblast growth factors stimulate nerve growth factor synthesis and secretion by astrocytes, 118
Young, A.B., see Maragos, W.F., 36

Zettler, C., Head, R.J. and Rush, R.A., Chronic nerve growth factor treatment of normotensive rats, 251

(contents continued)

Evidence that inhibition of a nociceptive flexion reflex by stimulation in the rostroventromedial medulla in rats occurs at a premotoneuronal level
M.K. Floeter and H.L. Fields (U.S.A.) 340
Concomitant sensitization of amphetamine-induced behavioral stimulation and in vivo dopamine release from rat caudate nucleus
S.L. Patrick, T.L. Thompson, J.M. Walker and R.L. Patrick (U.S.A.) 343
A test of the spine resistance hypothesis for LTP expression
J. Larson and G. Lynch (U.S.A.) 347
Topography of connections between primary somatosensory cortex and posterior complex in rat: a multiple fluorescent tracer study
M. Fabri and H. Burton (U.S.A.) 351

Author Index 358